




Your Window to Feel the Magic.





Hoout M



About

ALUKO Windoor Pvt. Ltd.


In classic terms, fenestration refers to the design, construction, and placement of windows and doors in a building. Over the years, the term fenestration has opened the ways for both indoor and outdoor windows, doors, skylights, and any other designed to transmit light from one space to another. ALUKO Windoor Pvt. Ltd. is one renowned name that thrives to be a name of 'change' in the Fenestration industry with the infusion of the latest technologies. We offer high-quality window and door systems in collaboration with the international player for technology-based products.

We came into existence in 2018. The company was launched with an extended thought to bring a revolution in the manufacturing process using German Technology for effective, visually appealing and eco-friendly products. ALUKO Windoor Pvt. Ltd.. The motive was to provide exceptional and long-lasting products with high-end functionality for all fenestration systems.

The manufacturing process for all our products follows an irresistible set of standards and conforms to the most recent national and international quality standards. With the same thought, we have marched forward and accomplished both private and government projects for different sectors like hospitality, residential, commercial and others in a very less time span. The role we delve into in the fenestration world is much more than just manufacturing the fenestration systems i.e. bringing a change in the fenestration industry with the latest technology. Already well-known for its durability and rigidity, we strive to strengthen in all the ranges we come up with.







Creellenee

Scervices

At ALUKO Windoor Pvt. Ltd.,

we believe in making every interaction with our clients as pleasurable and hassle free as possible.

The superior quality of our products speaks for themselves.

We at ALUKO Windoor Pvt. Ltd. believe in offering experiential services to all our clients.

uPVC Doors

ALUKO Windoor Pvt. Ltd. doors are a perfect way to add charm and beauty to your home. They would inevitably keep the ambiance warm and serene. Our doors are maintenance free and durable; they are bound to not create a fuss for years.

uPVC doors are the most viable choice in today's time considering the weather and lifestyle in which we all are living. The features of uPVC doors in India keep you safe from dust, noise, rainfall, strong winds, etc. It requires low maintenance long life cycle and is energy efficient. Our ALUKO Windoor Pvt. Ltd. uPVC doors have a wide range of varieties that you can choose according to to enhance the look and feel of your home interiors.

Sliding Windows

ALUKO Windoor Pvt. Ltd.'s exquisite collection of sliding windows adds panache to your homes. Crafted and designed in contemporary styles to complement your desires and taste, the sliding windows from ALUKO Windoor Pvt. Ltd. can be the most elegant choice for your home décor. With enhanced features including simplicity, architectural enrichment, and easy to use, sliding windows are made by keeping different ideas in mind to cater different needs of different customers. They are a great alternative for limited spaces because they slide horizontally into the grooves behind the fixed panes. These types of windows are great choices for other restricted spaces like interior partitions, cubicles and balconies. In uPVC sliding windows, two or more frames, slide horizontally on tracks to the left or the right. The windows are slightly raised above the track for smooth slide and also preventing dust from collecting down in the track. uPVC Sliding windows are ideal for homes that require space-economy.





Phieromary



A Foundation for Futuristic Fenestration

Doors and Windows have undergone a sea of changes in the modern buildings. Universally, architects and builders have acknowledged that uPVC Doors & Windows are of engineered quality and can be customized to any size. Their aesthetical good looks, their ease of installation and their undisputable long term benefits have convinced architects, builders and consumers alike. ALUKO Windoor Pvt. Ltd. frames can comfortably house bigger sheets of glass due to their inherent deeper glazing rebates which are a stringent requirement for combating India's higher wind pressures, a wide range of glass thickness. Available in a varied range of contemporary styles and designs in white and natural wood finishes. ALUKO Systems render Strength. Beauty and Convenience to doors and windows of any size.

uPVC Doors

ALUKO Windoor Pvt. Ltd. doors are a perfect way to add charm and beauty to your home. They would inevitably keep the ambiance warm and serene. Our doors are maintenance free and durable; they are bound to not create a fuss for years.

uPVC doors are the most viable choice in today's time considering the weather and lifestyle in which we all are living. The features of uPVC doors in India keep you safe from dust, noise, rainfall, strong winds, etc. It requires low maintenance long life cycle and is energy efficient. Our ALUKO Windoor Pvt. Ltd. uPVC doors have a wide range of varieties that you can choose according to to enhance the look and feel of your home interiors.








Lastina

Casement Windows

ALUKO Casement Window range is designed to provide the maximum flexibility for fabricators and clients alike. The system is based on profile depth - 60 mm and was designed to facilitate maximum application coverage with the minimum number of profile sections providing fabricators and clients at the same time with the ideal range of products to suit any window replacement program or building type in the fast growing construction industry.


- Contemporary modern soft line profile appearance.
- 10 mm sash overlap for enhanced performance.
- Internal glazing options from 4 mm single to 36 mm triple
- Choice of single or multi-point locking devices
- Build-in hardware location facility for hinges. striker etc.
- Secure hardware fitting into steel reinforcements as standard.



Sliding Windows

ALUKO Sliding Window range is designed to provide the maximum flexibility for fabricators and clients alike. Based on a range of sections. it offers full flexibility offering from single sliding to multiple sliding openers. clip on or integrated sections for fly screen and a range of section sizes covering small and large openings. It provides the ideal range of products to suit any window replacement program or building type in the fast growing construction industry.


- One, two and three track sliding, window and fly screen options.
- Multi-chamber profile design. frame depth from 60 to 112 mm.
- 10 mm sash overlap for enhanced performance.
- Internal glazing options from 4 mm single to 24 mm double.
- There is a Choice of single or multi-point locking devices.
- · Secure hardware fitting into steel reinforcements as standard








Revolutionary



TwinSash Windows

ALUKO TwinSash Windows are designed to provide ultimate flexibility for fabricators and clients alike. It provides the option of combining the traditional casement window with traditional inward opening fly screen option. There is a facility to incorporate a security grill or blinds for security or privacy. It also offers an additional variant of sash with integrated louvers with fly screen option. It was designed to facilitate maximum application coverage with the minimum number of profile sections providing fabricator and at the same time the end user with the ideal range of products.

- Contemporary modern soft line profile appearance
- Design compatibility with the Aluko casement and sliding range
- 10 mm sash overlap for enhanced performance
- Integrated solution for security grill and fly screens
- Choice of single or multi point locking devices
- Secure hardware fitting into steel reinforcements as standard



Vertical Slider Windows

ALUKO Vertical Slider Windows. a traditional fenestration concept that has become the perfect solution for ancillary frames when the opening aperture is taller than width i.e. reference golden ratio 1: 1.618. and when one opening sash is required for ventilation and/or fire escape! Its simple operation is based on a pair of frame specific. site tensioned. spiral balances that can hold the sash open in any position. The spiral balance technology has successfully replaced the traditional weights and pulley method because of requiring less space enabling the modern uPVC vertical slider to fit perfectly into both aperture types. straight through or reveal.

- · Contemporary modern soft line appearance.
- 10 mm sash overlap for enhanced performance.
- Internal glazing options from 4 mm single to 24 mm double
- · Integrated handle bead for ease of operation
- · Special spiral balances made to suit sash weight and frame size
- Opening sash secured with espagnolette locking device









Energy Efficient

Tilt N Turn Windows

ALUKO Tilt N Turn Windows are designed to provide a European window option for fabricators and clients alike. The window is available as part of the ALUKO 60 range and was designed to give the discerning end user a state of the art inward opening fenestration solution. The ALUKO Tilt N Turn provides the client maximum design freedom due to larger opening sizes that can be achieved and suits any window replacement program or building type in the fast growing construction industry.

- Contemporary modern soft line profile appearance.
- 10 mm sash overlap for enhanced performance
- Internal glazing options from 4 mm single to 36 mm triple
- · Concealed heavy duty hinges to enable continuous weather seals
- · External sliding fly screen system
- · Secure hardware fitting into steel reinforcements as standard





Parallel Windows

ALUKO Parallel Windows are designed for maximum ventilation and ideal for staircases. landings and offices. With a maximum sash size of 2 meters (6.6 feet) wide and 2 meters (6.6 feet) tall it caters for large openings. giving plenty of light to the area. With a weight carrying capacity of 200kg per sash the glazing options are almost limitless. There is a facility to incorporate a security grill or blinds for security or privacy.

- Can be inward or outward opening.
- Glazing options from 4 mm single to 36mm triple.
- · Internal sash options with fly screen or glazed as above
- Integrated solution for security grill
- 3 frame options to choose from
- Multi point locking devices











Fold & Slide Windows

ALUKO Fold N Slide Windows system offers superior operating performance and smooth integration into any architectural style and space. The window system is engineered for using multiple panel from 2 to 7 panels. this system offers unobstructed opening options. The hardware used offers a smooth glide and reliable performance with solid design and engineering.

- · Can be opening in or out
- 2. 3. 4. 5. 6 and 7 pane option
- · Dedicated ALUKO top guide and bottom track to ensure perfect alignment
- Internal glazing option from 4mm single to 36mm triple glazing
- Frame width of up to 18'8" can be achieved with a maximum height of 9 'not exceeding a sash weight of 100 kgs



Invisi Fold Doors

The ALUKO System is designed to convert standard welded windows & doors into sliding/folding/swing systems. ALUKO FOLD is a unique alternative for 'concertina'. 'fold & slide' or 'bi. fold' windows & doors which is based on movement of individual panels.

It can be manufactured with invisible hinges showing only 1 or 2 handles (depending on style). also it can be manufactured alternatively with face mounted. and fully adjustable 3D hinges. ALUKO sliding panels are bottom loaded and will 'NOT' drop like conventional 'fold & slide' systems resulting in trouble free installations.

- · Can be opening in or out
- 2. 3. 4. 5. 6 and 7 pane option
- Internal glazing option from 4mm single to 36mm triple glazing
- Frame width of up to 18'8" can be achieved with a maximum height of 9 'in Single Glass unit & 7 'in Double Glass unit without exceeding a sash weight of 80 kgs.









Gentlessaties

Casement Doors

ALUKO Single or Double Casement Doors are suitable for opening-in and opening-out mode. can be used as main entrance door or as ancillary door leading onto corridors. Patios or balconies. Casement doors are available in 60 mm or 112 mm profile depth and can be manufactured as stand-alone items or part of a screen incorporating fan lights and/or side lights. Double doors also known as French doors can be used as an alternative to sliding Patio doors. especially. when a clear wide opening is being desired.


- Contemporary modern soft line appearance.
- 10 mm sash overlap for enhanced performance.
- Internal glazing options from 4 mm single to 36 mm double.
- Choice of numerous multi-point locking devices including full perimeter locking
- Threshold-less or Aluminum low threshold
- Choice of hinge types including concealed (invisible) hinges

TwinSash Doors

ALUKO TwinSash Doors are probably the most ingenious door invented in India comprising two independently operated door sashes, one sash opening-out for mosquito screen and one sash opening-in for glazing. However, some parts of India may only require one sash equipped with mosquito screen whilst the second sash houses fixed or adjustable louvers. TwinSash doors can utilize ALUKO two dedicated, door sashes and wide range of locking devices. For today's requirement, the ultimate TwinSash door comprises an external mosquito screen with a high performance double glazing unit incorporating blinds.

- 152 mm outer frame depth with 56 mm available space between sashes
- · 10 mm sash overlap for enhanced performance
- Internal glazing option from 4 mm single to 36 mm double
- Possibility to combine mosquito screen. panel. louvers and glass within one unit
- · Choice of locking devices and hinge types including concealed (invisible) hinges
- Threshold-less









Cheating



Balcony Doors

ALUKO Balcony Doors are intended to provide more glass area due to an overall. slimmer frame sight line and are available as either single or double doors (French doors). opening-in or opening-out. and are offered with one operating handle by design. which is positioned inside. A special handle and a concealed snap-in device enables a temporary closing of the door when outside. Balcony doors can be stand-alone items. manufactured with fanlights and/or sidelights. or integrated into complete curtain walling screens.

- Contemporary modern Softline appearance
- 10 mm sash overlap for enhanced performance
- Internal glazing option from 4 mm single to 36 mm double
- Choice of numerous multi-point locking devices including full perimeter locking
- · Threshold-less or Aluminum low threshold
- Choice of hinge types including concealed (invisible) hinges

Lift N Slide Doors

ALUKO the leading fenestration brand in the country. has given innovative fillip to traditional sliding and the result is – Lift n Slide Doors which are designed for larger openings for unobstructed views. By rotating the handle 180° the door fully lifts off its seals. ALUKO hallmark engineering precision ensures ease of function in both operations, that is, sliding and lifting.

- Easy handling due to perfectly aligned system technology.
- Double compression seals protect against draught. dust & water
- Internal glazing options from 4 mm single to 36 mm triple.
- · Heavy duty tandem rollers for smooth operation.
- Secure hardware fitting into steel reinforcements as standard.
- Energy saving due to excellent thermal property














Ergenemical

Heavy Duty Patio Doors

Modern frame apertures are getting bigger and the demand for more glass and less vertical divisions by frame members is increasing. ALUKO Heavy Duty Patio Doors can comply with those new challenges with its 2- pane version that can be manufactured up to 5.8 meters wide and up to 3.0 meters tall. accepting a maximum sash weight of 300 kg. The overall outer frame depth of 142 mm housing two 62 mm deep sashes is perfectly suited for modern straight through apertures. The effortless operation of the heavy sashes achieved by using tandem rollers with a high weight carrying capacity. ALUKO solid Aluminum threshold construction and a good gripping D-handle. anchored into the concealed sash steel.

- Available options 2-track (142 mm depth). 3-track (222 mm depth) and 4-track (302 mm)
- Unique Aluminum low threshold option for 2-track. 3-track and 4-track
- Internal glazing option from 4 mm single to 36 mm double
- Aluminum interlock for added rigidity equipped with double seal
- · Heavy-duty tandem roller and multi-point lock as standard
- Optional mosquito screen and/or centre-pane/4-panel adapter

French Doors

ALUKO French Doors. also known as double doors or double windows. are a pair of glass doors usually opening from the back of a house into its garden or onto its balcony. This concept of opening both sashes fully without seeing a centre obstruction has influenced French architecture since the 17th century. The whole grace and dignity of many European buildings was based on this majestic design principle. Modern fenestration adopted the uniqueness of French doors and French windows. mainly upgrading the design for high performance glazing and sophisticated locking devices whilst retaining the original character.

- · ALUKO casement sashes are suitable for French doors and French windows
- Available in opening-out and open-in mode
- Internal glazing option from 4 mm single to 36 mm double
- Choice of numerous multi-point locking devices including full perimeter locking
- · French doors are available threshold-less or with Aluminum low threshold
- Choice of hinge types including concealed (invisible) hinges













Low Threshold Doors

High performance in terms of air and water tightness. dust. insects. sound reduction requires sealing of the full sash perimeter. Any low threshold or threshold-less arrangement will compromise the performance aim but traditional living habits combined with ergonomics are today's overriding factors for fenestration.

ALUKO is offering. wherever possible. Aluminum low threshold solutions or provide suggestions on how to prepare ground levels to hide the unwanted. high frame up stand associated with Fold & Slide Patio Doors and Tilt & Slide Patio Doors. ALUKO has chosen purposely Aluminum thresholds with silver anodized finish to provide a hardwearing foundation for years of product durability.



Sliding Doors

ALUKO Sliding Doors range covering frame depths from 62mm to 142mm and is designed to provide the maximum flexibility for fabricators and clients alike. Based on a range of sections. it offers full flexibility from single sliding to multiple sliding openers. clip on or integrated sections for fly screen and a range of section sizes covering small and large openings.

- · 1. 2. 3 and 4 track sliding. Patio door and fly screen options
- 10 mm sash overlap for enhanced performance
- Internal glazing options from 4 mm single to 22 mm double
- · Choice of single or multi point locking devices
- · Hardware components fastened into steel or walls or uPVC
- Secure hardware fitting into steel reinforcements as standard

























Explore Our Gallery

Welcome to our gallery, where creativity meets inspiration. Browse through a curated collection of stunning visuals that showcase our work, passion, and vision. Whether it's art, photography, design, or moments captured in time, each image tells a unique story. Get inspired by the beauty, details, and artistry behind each piece, and let your imagination soar.
























+91-7289914045